

Nodo1	Nodo2	DH_medido	DH_ajustado	Sigma	Residuo_bruto	Res_stud
NOD101	G102	-1.045	-1.044793	0.001259	-0.000207	-0.6034
G102	G114	-1.2	-1.199736	0.001407	-0.000264	-0.6034
G114	G133	5.551	5.551216	0.001285	-0.000216	-0.6034
G133	G132	1.882	1.882165	0.001134	-0.000165	-0.6034
G132	G143	-1.314	-1.313808	0.001215	-0.000192	-0.6034
G143	G162	0.78	0.780141	0.001212	-0.000141	-0.3955
G162	IGM71	0.994	0.994164	0.001297	-0.000164	-0.3955
IGM71	G172	-1.346	-1.345799	0.00142	-0.000201	-0.3955
G172	G173	-0.865	-0.864876	0.001145	-0.000124	-0.3955
G173	G174	-1.886	-1.885864	0.001194	-0.000136	-0.3955
G174	PN01	2.166	2.168	0.000903	-0.002	-2.2141
PN01	G174	-2.17	-2.168	0.000903	-0.002	-2.2141
G174	G177	-1.881	-1.880864	0.001191	-0.000136	-0.3955
G177	G156	4.182	4.18222	0.001477	-0.00022	-0.3955
G156	G155	0.59	0.590025	0.000533	-0.000025	-0.3955
G155	G150	0.244	0.244121	0.001131	-0.000121	-0.3955
G150	G151	-0.644	-0.643931	0.000744	-0.000069	-0.6034
G151	G127	0.397	0.397108	0.000924	-0.000108	-0.6034
G127	IGM124	-0.598	-0.597785	0.001283	-0.000215	-0.6034
IGM124	G096	-5.849	-5.84882	0.001179	-0.00018	-0.6034
G096	G097	-0.058	-0.057808	0.001034	-0.000192	-0.4708
G097	G092	6.741	6.741306	0.001246	-0.000306	-0.4708
G092	G090	0.33	0.330177	0.001001	-0.000177	-0.4708
G090	NOD101	-5.009	-5.008559	0.00176	-0.000441	-0.6034
G114	IGM4	6.723	6.723	0.001707	0	0.0004
IGM4	G119	-2.305	-2.305	0.001228	0	0.0001
G119	G121	1.319	1.319	0.001374	0	0.0001
G121	G123	-4.052	-4.052	0.00142	0	0.0001
G123	G124	4.404	4.404	0.001117	0	0
G150	G147	0.033	0.032895	0.001594	0.000105	0.1344
G147	G145	-1.464	-1.464058	0.001248	0.000058	0.1344
G145	G144	-0.151	-0.151063	0.001295	0.000063	0.1344
G144	G143	0.769	0.768958	0.001084	0.000042	0.1344
G096	E2	4.7395	4.739988	0.001343	-0.000488	-0.4495
G090	COP	-1.1057	-1.105633	0.001263	-0.000067	-0.1054
COP	E1	-1.6513	-1.651243	0.001182	-0.000057	-0.1054
D	E1	-0.1101	-0.109811	0.000455	-0.000289	-1.0532
E2	D	-0.3737	-0.373378	0.00047	-0.000322	-1.0532
P	H	1.613	1.613564	0.000642	-0.000564	-1.1909
H	AN	0.4136	0.414013	0.000449	-0.000413	-1.5907
P	AV	-0.269	-0.269658	0.000639	0.000658	1.4771
AV	AN	2.2977	2.297235	0.000575	0.000465	1.4771
AN	E1	0.86	0.860239	0.000605	-0.000239	-0.5945
H	E2	1.7579	1.757442	0.000645	0.000458	0.8529
E2	C	-0.8922	-0.892745	0.000495	0.000545	1.6043
C	E1	0.4101	0.409555	0.000495	0.000545	1.6043

P	ZOO2	-4.1975	-4.197163	0.001219	-0.000337	-0.7129
ZOO2	LEM	-1.9507	-1.950277	0.001339	-0.000423	-0.7129
LEM	DOBS	5.1271	5.127513	0.001327	-0.000413	-0.7129
DOBS	ECU	1.8353	1.8354	0.000572	-0.0001	-0.1747
ECU	DOBS	-1.8355	-1.8354	0.000572	-0.0001	-0.1747
ZOO1	DOBS	1.994	1.993573	0.001344	0.000427	0.7129
G096	ZOO1	-1.6441	-1.644517	0.001331	0.000417	0.7129
DOBS	AGRO	-0.2647	-0.265402	0.001028	0.000702	0.6812
E1	ROCA	0.7193	0.719449	0.000988	-0.000149	-0.1518
COP	PZIT	-6.9835	-6.9841	0.000779	0.0006	0.7706
AGRO	DOBS	0.2661	0.265402	0.001028	0.000698	0.6812
ROCA	E1	-0.7196	-0.719449	0.000988	-0.000151	-0.1518
PZIT	COP	6.9847	6.9841	0.000779	0.0006	0.7706

Sin valores atípicos para residuos estudentizados